

Package Three: TumorX Apoptosis Protocol Combined With TumorX Enzyme Protocol

Package Three is a combination of two highly effective protocols; TumorX Apoptosis Protocol & TumorX Enzyme Protocol. When combined, these protocols kill cancer cells and repair the body. TumorX Apoptosis Protocol works to kill the cancer cells while TumorX Enzyme Protocol detoxifies and repairs the body. Please see below for instructions on properly using the protocol. There are two sections, one for the Apoptosis portion of the protocol and one for the Enzyme portion of the protocol. Please read the information carefully. If you have any questions please call technical support at 229-365-7222.

This protocol is highly effective however, we do recommend other products to keep your body going and to repair it as much as possible when dealing with this disease. Some of the products we recommend are listed at the end of the protocol instructions.

How To Properly Implement the TumorX Enzyme Protocol

Our body's ability to function, to repair when injured and to ward off disease is directly related to the strength and number of our enzymes. That's why an enzyme deficiency can be so devastating. All life processes consist of a complex series of chemical reactions.

Tens of thousands of people world wide have successfully treated themselves using the TumorX Enzyme Protocol.

Recommended Dosage:

Formula 103X:

12 capsules per day...3 Capsules 4 times per day, taken one hour after each meal. Last serving should be before bed or during the night.

Formula 303X:

24 Capsules per day...6 Capsules taken one hour before each meal. Last serving two hours before bed on an empty stomach.

Formula 403X:

6 Capsules per day...2 Capsules taken 3 Times per day with each meal

The Signs of Saturation

When the enzymes pass completely through the body, successful saturation equilibrium of enzymes has occurred. The noticeable sign of saturation is an itching to burning sensation around the anus when the enzyme passes through the body be it during defecation or the through the natural effects of gravity. One will need (and want) to immediately neutralize the enzymes that have passed through the bowels. This is accomplished with vinegar (any brand, white or dark, will do). Spray or splash the vinegar onto and around the anus. Wait approximately one minute, during which time one may feel a slight increase in temperature around the anus due to a common chemical reaction or energy being released which creates the heat.

Remember the importance of neutralizing the enzymes once they pass through the body. One's body is covered by dead skin cells. Since enzymes convert dead cells into food for the body, the enzymes are going to eat the protective layer of skin around the anus unless they are neutralized with vinegar. Enzymes don't have a brain. They cannot differentiate between whether they are inside or outside the body. They only detect dead cells so as they perform there biological function you may experience itching or burning. If left to the natural enzyme process, the net result will feel like someone took sandpaper and exfoliated the anus and skin around the anus. This would be painful and is not necessary for the process. So, use vinegar to neutralize the enzymes once saturation occurs.

Proceeding after saturation: Decrease the enzyme consumption the same way in which the increase of dosage was done. Decrease by one or two capsules in order to maintain the 1 to 2 ratio of Formula 103X and Formula 303X respectively. Wait four days for the body to adjust to the new dosage, continuing to neutralize the anus with vinegar if necessary. On day five if the anus continues to burn and itch, decrease the enzyme dosage again by the smallest amount as able, in order to maintain the 1 to 2 ratio. Continue this until the burning and itching disappears.

If you have hit this point of saturation lower the number of enzymes you are taking. A product like Vaseline (synthetic oil) will help relieve the discomfort because the lipase in the enzyme will not be able to hydrolyze the bonds so it will create a protective cover. This is the easiest way to protect one's bottom if this issue occurs.

Continuing With Enzymes

Enzymes are the building blocks of life. In order to maintain a healthy body, one should take enzymes for the rest of their life. The amount of enzymes one should take will be determined by the sign of saturation $\frac{1}{4}$ in turn determined by age, lifestyle, genetics, and a million other things. I have talked with people who were able to consume 70 capsules of 103X, 140 capsules of 303X and 6 capsules of 403X per day. However, they were only able to continue this mega-dose for one week before saturation occurred. By the end of a one year period, they were only able to take 4 capsules of 103X, 8 capsules of 303X, and 1 capsule of 403X. They stated, "If I could take more enzymes I would, but with one more capsule the feeling of saturation comes back.

Properly Implementing the TumorX Apoptosis Protocol

TumorX Formula Apoptosis Easy Digest (TumorX Formula Apoptosis Easy Digest) and TumorX Apoptosis Full Strength (TumorX Formula Apoptosis Full Strength) : Historic and emerging research demonstrates that TumorX Formula Apoptosis Easy Digest and TumorX Formula Apoptosis Full Strength are dose dependant. The more product a person consumes, the more effective it is at ridding the body of cancer. When taken properly, these formulas can be consumed in dosages of 5000 to 7000mg per 24 hours with no negative side effects. TumorX Formula Apoptosis Easy Digest and TumorX Formula Apoptosis Full Strength taken internally should always be taken with TumorX Formula 103X. This is because as the cancer dies through apoptosis there will be billions of dead cancer cells in the area that were previously cancerous. This will in time create a toxic reaction and overwork the organs. Consuming Formula 103X will rid the body of the dead cancer cells by turning them into energy feeding the body. The waste that the body will not be able to recycle will go through the natural process of elimination.

TumorX Formula Apoptosis Full Strength should be consumed with a heavy meal. Because TumorX Formula Apoptosis Easy Digest and TumorX Formula Apoptosis Full Strength is buffered by the food, it should be taken in the middle of the meal. Consume TumorX Formula Apoptosis Easy Digest and TumorX Formula Apoptosis Full Strength with:

- Meals that contain at least 6 oz. of animal protein.
- Meals with fried foods, (fry using coconut oil.)
- Drinks such as whole milk or buttermilk.

An example of a heavy breakfast is steak, eggs and toast. **DO NOT TAKE TumorX Formula Apoptosis Full Strength capsules with a light meal because projectile vomiting could occur.** An example of a light breakfast is fruit or fruit juice with the absence of a heavy complex carbohydrate like oatmeal (complex carbohydrate) or milk (fat). If you experience nausea, eat more food, drink whole milk or buttermilk, or consume 2 tablespoons of coconut oil. In the majority of cases, this eliminates the nausea.

PART A

First meal: take 1 capsule TumorX Formula Apoptosis Easy Digest.

Second meal: If no nausea occurred after first dosage, increase to 2 capsules of TumorX Formula Apoptosis Easy Digest.

Third meal: Take 3 capsules of TumorX Formula Apoptosis Easy Digest (if no nausea occurred after second dosage).

At each subsequent meal, increase by 1 capsule of TumorX Formula Apoptosis Easy Digest until nausea occurs or until you can consume 6 capsules of TumorX Formula Apoptosis Easy Digest.

PART B

Add 1 capsule of TumorX Formula Apoptosis Full Strength to the 6 Easy Digest capsules with the next meal; take 6 capsules TumorX Formula Apoptosis Easy Digest and 1 TumorX Formula Apoptosis Full Strength.

Increase by 1 capsule of TumorX Formula Apoptosis Easy Digest per meal until you are consuming 12 TumorX Formula Apoptosis Easy Digest capsules and 1 TumorX Formula Apoptosis Full Strength capsule per meal.

Next meal add 1 capsule TumorX Formula Apoptosis Full Strength to regimen; take 12 capsules TumorX Formula Apoptosis Easy Digest and 2 capsules TumorX Formula Apoptosis Full Strength .

Continue adding 1 capsule of TumorX Formula Apoptosis Full Strength to every 6 capsules of TumorX Formula Apoptosis Easy Digest until nausea occurs.

NAUSEA: Lower dosage by 1 capsule of TumorX Formula Apoptosis Easy Digest per meal until nausea dissipates. For every 3 capsules of TumorX Formula Apoptosis Easy Digest removed, remove 1 capsule of TumorX Formula Apoptosis Full Strength at next meal. Continue to lower by 1 capsule of TumorX Formula Apoptosis Easy Digest per meal until you do not experience any nausea.

Special Instructions: Consume a minimum of 2 capsules of Formula 103X one hour after each meal. In my experience with thousands of protocols used, I have heard of the discomfort/ extreme discomfort a person experiences when not following the protocol and doing it their own way. This is not a good idea. Once you experience any symptoms of nausea/general feeling of discomfort, "blah", lower the dosage by one capsule of TumorX Formula Apoptosis Easy Digest. At this point, you should have discovered the maximum TumorX Formula Apoptosis Easy Digest & TumorX Formula Apoptosis Full Strength. However, continue taking TumorX Formula 103X.

Seven Days of TumorX Formula 103X Only

At the end of seven days, assuming you feel good, begin taking TumorX Apoptosis Formulas at half the dosage you were previously taking before any issues (healing crisis) occurred. If you feel feeling of discomfort "blah" for more than 36 hours discontinue use of TumorX Apoptosis Formulas. If you are not feeling good at the end of seven days, at this point we can safely determine that the products did not cause the issue. You could have: the common cold, adrenal fatigue, ATP deficiency caused by the cancer or other nutritional imbalances in body that will need to be dealt with.

Special Note: During the seven days of not using TumorX Formula Apoptosis Easy Digest & TumorX Formula Apoptosis Full Strength, one should NOT discontinue use of TumorX Formula 103X. By taking Formula 103X you will be helping to detoxify your body. The reason behind your need to stop the TumorX Formula Apoptosis Protocol was due to one of the following:

1) Healing Crisis

If it was a healing crisis, then discontinuing the use of TumorX Apoptosis Formulas while at the same time consuming TumorX Formula 103X this problem should be arrested.

2) Nutritional Deficiencies

If you are dealing with a nutritional deficiency, you will need to correct this in order for the body to heal itself. However, if you can handle the side effects then you can continue using TumorX Formula Apoptosis Protocol.

The Key Concepts To Keep in Mind Are:

1) TumorX Apoptosis Formulas are dose dependent.

2) Can be added to other therapies especially TumorX Enzyme Protocol and the TumorX Cachexia Protocol.

3) Can be taken safely with other natural substances.

Special Note 2: When you are using the TumorX Apoptosis Formulas, you should adjust the dosage to your daily eating habits.

Here is an example:

Eating a heavy breakfast and taking 11 TumorX Formula Apoptosis Easy Digest and 1 TumorX Formula Apoptosis Full Strength.

Eating a light lunch and taking 6 TumorX Formula Apoptosis Easy Digest and 1 TumorX Formula Apoptosis Full Strength.

Eating a light dinner and taking 6 TumorX Formula Apoptosis Easy Digest and 1 TumorX Formula Apoptosis Full Strength.

Another example:

Eating a light breakfast and taking 6 TumorX Formula Apoptosis Easy Digest and 1 TumorX Formula Apoptosis Full Strength.

Eating a light lunch and taking 6 TumorX Formula Apoptosis Easy Digest and 1 TumorX Formula Apoptosis Full Strength.

Eating a heavy dinner and taking 11 TumorX Formula Apoptosis Easy Digest and 1 TumorX Formula Apoptosis Full Strength.

Keep in mind that the more you consume in 24 hours, the better the protocol will work. The goal of this protocol and all of the TumorX Protocols is killing as many cancer cells in a day as is possible. A simple analogy would be this: If the body is producing 2 million cells a day and we kill 5 million a day you will live to a ripe old age. On the other hand, if the body is producing 5 million and you are killing 2 million this protocol will extend your life. Unfortunately, that's it.

Verification That You Are Cancer Free

The two best testing methods that I know of are the Dr. Navarro Cancer Test and the AMAS Test. The Navarro Test is a urine analysis to test for pregnancy. If you are pregnant you still have cancer. If you are not pregnant, you are cancer free. The AMAS test checks for a protein that is found in cancer patients. This test can be ordered by a medical doctor and is available worldwide. I believe you should steer clear of biopsy and other crazy ideas proposed by doctors. The problem with biopsy is that it creates needles scarring and pain. The problem with the before mentioned test is often false positives. I would suggest if you have a positive reading with either of these tests to have it performed a second time. If both tests return a positive then you in fact have cancer.

Additional Supplements

BioAnue Bovine Cartilage

The majority of cancer deaths are a result of the cancer spreading (metastasizing) to distant regions of the body. Bovine cartilage has been demonstrated in both pre-clinical and clinical trials to stop/inhibit the spread, growth and proliferation of cancer cells.

TumorX BioEnerGenics Co-Q10

The National Cancer Institute peer-reviewed studies & anecdotal evidence and reported that patients who supplemented with Co-Q10 outlive the statistical mortality rate for patients with pancreatic, lung, rectal, laryngeal, colon, and prostate cancers.

TumorX L-Glutathione

TumorX L-Glutathione Anti-Carcinogenic Formula will repair the body by taking the toxic materials out of the cells allowing the body to repair itself. TumorX L-Glutathione Anti-Carcinogenic Formula plays important roles in the following: antioxidant defense, nutrient metabolism, and regulation of cellular events including gene expression, DNA and protein synthesis, cell proliferation and apoptosis, signal transduction and immune response.

TumorX L-Glutathione

TumorX L-Glutathione Anti-Carcinogenic Formula will repair the body by taking the toxic materials out of the cells allowing the body to repair itself. TumorX L-Glutathione Anti-Carcinogenic Formula plays important roles in the following: antioxidant defense, nutrient metabolism, and regulation of cellular events including gene expression, DNA and protein synthesis, cell proliferation and apoptosis, signal transduction and immune response.

TumorX Vanadium, Zinc, Selenium Blend

If one is concerned about having or contracting cancer, the three minerals that men and women who have cancer or have a family history of cancer in our research over the years men who have prostate cancer and women who have breast cancer seem to have a greater likelihood than the average to be deficient in these minerals. In fact, vanadium, zinc and selenium have all been proven to induce cancer when the body doesn't have ample mineral concentration. With all high quality minerals, one should first determine if they are in fact deficient before beginning a mineral regimen. The suppressed information about minerals is if you take too much of one mineral you in fact will push another mineral out of the body. This little known fact is what has created issues in people's health who never seem to correct their deficiency